THE NETHERLANDS



EEC TYPE-APPROVAL CERTEICATE

Communication concerning the:

- type-approval
- extension of type-approval
- refusal of type-approval
- withdrawal of type approval

of a type of component (non-standard coupling head 50) with regard to Directive 94/20/EC

Type-approval number: e4*94/20*0229*00

Reason for extension

0.3.

SECTION I

0.1. Make (trade name of manufacturer) : WALTER WINTERHOFF GmbH

Type and general commercial description(s): WW 8; 0.2.

coupling head 50 mm

Means of identification of type if marked on the component : make (trade name) and type

0.3.1. Location of the marking : on type plate or stamped on housing

: Walter Winterhoff GmbH, 0.5. Name and address of manufacturer

D-58339 Breckerfeld

0.7. In the case of components and separate technical units, location and method of affixing of the EEC approval mark : on type plate or stamped on housing

Name(s) and address(es) of 0.8. assembly plants : see information document (Annex III), item 0.8.

Type-approval number: e4*94/20*0229*00

SECTION II

1. Additional information (where applicable)

: see Appendix I

2. Technical service responsible for carrying out the tests

: RWTÜV Fahrzeug GmbH Institut für Fahrzeugtechnik Adlerstraße 7

D-45307 Essen

3. Date of test report

: November 22, 1995

4. Number of test report

: 579100/95

5. Remarks (if any)

: see Appendix I

6. Place

: Zoetermeer

OR HE

7. Date

0 8 DEC. 1995

8. Signature

F.E. Plancius

- 9. The index to the information package lodged with the competent authority that has granted type-approval, which may be obtained on request:
 - Application form relating to Annex III and annexed drawings
 - Installation and operating instructions
 - Testreport, as mentionend in item 4.

551-7976

Appendix 1

to EEC type-approval certificate No: e4*94/20*0229*00

concerning the component type-approval of mechanical coupling devices with regard to Directive 94/20/EC

1. Additional information

1.1. Class of the type of coupling

: B50-X

1.2. Categories or types of vehicles for which

the device is designed or restricted

: for trailers of categories O₁ and O₂ up to 800 kg

maximum mass of trailer

: see fitting instructions

1.3. Maximum D-value

: 7.7 kN

1.4. Maximum vertical load S at the coupling point

: 75 kg

1.5. Maximum load U

at the fifth wheel coupling point

: - ton

1.6. Maximum V-value

: - kN

1.7. Instructions for attachment of the coupling type to the vehicle and photographs or drawings of the fixing points at the vehicle given by the manufacturer

given by the manufacturer additional information if the use of the coupling type is restricted to special types of vehicles

1.8. Information on the fitting of

special towing brackets or mounting plates

: -

5. Remarks: -

